

**MUNICIPAL WATER SUPPLY & SEWAGE DISPOSAL  
SYSTEM CONNECTION CHECKLIST**

**NO WORK IS TO BE UNDERTAKEN UNTIL ALL REQUIRED PERMITS  
HAVE BEEN GRANTED**

- A REPRESENTATIVE OF THE TOWN **MUST** BE NOTIFIED BEFORE ANY WORK BEGINS
- CONNECTION TO WATER MAIN **SHALL NOT BE MADE** UNTIL TOWN REPRESENTATIVE IS PRESENT AND A PERMIT HAS BEEN ISSUED.
- COST OF MUNICIPAL WATER SUPPLY & SEWAGE DISPOSAL SYSTEM CONNECTION PERMIT IS \$75.00 plus all other related costs.

Contractor:

Homeowner:

Civic Address:

Time started:

Time Completed:

**FOR THE CONTRACTOR:**

**Water**

- Line is ¾" KITEC®
- Line 5' deep
- Shutoff valve installed and tested
- Line surrounded by 6" of ¾" stone

**Sewer**

- Line is 4" SDR-28 (white in colour)
  - Cleanout pipe installed every 60'
  - All cleanouts capped
  - Backflow inhibitor installed
  - Line surrounded by 6" of ¾" stone
- NOTE: under NO circumstances should weeping tile be connected to the sewer system.

**FOR THE HOMEOWNER:**

**Water**

- A CSA certified pressure reducing valve is installed before connecting your home's plumbing to your new water line.
- A pressure release valve is installed on your hot water tank.

**Sewer**

- All pipes which connect to the sewer pipe have a diameter which is less than 4".

Comments:

Contractor: \_\_\_\_\_

Homeowner: \_\_\_\_\_

Town Rep: \_\_\_\_\_